



KDRS

Kommunearkivinstusjonenes
Digitale RessursSenter

KDRS digitalt depot

Del 3 – Arbeidsflyt ved deponering

26. og 27. januar 2021

Overblikk

I denne delen av kurset skal vi se hvordan vi kan:

- Opprette en arkivpakke (SIP) i ESSArch Tools for Producer (ETP)
- Sende inn en arkivpakke for deponering (ETP -> ETA)
- Logge de kontrollene som utføres før pakken legges i digitalt depot.
- Sende pakken videre fra ETA til EPP.



Lage arkivpakke

The screenshot shows a web browser window with the URL `https://localhost:11443`. The browser's address bar and tabs are visible at the top. The page title is "ESSArch Tools for Producer". In the top right corner, there is a user greeting: "Welcome, Peter @ zone1. Change password / Log out". Below the title bar, there is a navigation menu with four items: "INFORMATION PACKAGE", "SUBMIT", "MANAGEMENT", and "HELP". The "INFORMATION PACKAGE" menu is expanded, showing two options: "Prepare IP" (which is circled in red) and "Create IP". The main content area of the page is currently blank. At the bottom left of the browser window, the address bar shows the full path: `https://localhost:11443/create/prepareipcreate`.



Lage arkivpakke, forts.

Logg på - Googl... × http://p...e_en.pdf × http://1...age.htm × http://1...age.htm × ESSArch Tools for Pr... × ESSArch Tools fo... × ESSArch Tools for Pr... × ESSArch Tools for Ar... × +

https://localhost:11443/create/prepareipcreate/

ETP ESSArch Tools for Producer

Welcome, Peter @ zone1. Change password / Log out

INFORMATION PACKAGE ▾ SUBMIT ▾ MANAGEMENT ▾ HELP ▾

Prepare new information packages


Please fill in the fields or use prefilled data (* indicates mandatory field)

Archivist organization *

Archive label



Lage arkivpakke, forts.



Logg på - Googl... × http://p...e_en.pdf × http://1...age.htm × http://1...age.htm × ESSArch Tools for Pr... × ESSArch Tools fo... × ESSArch Tools for Pr... × ESSArch Tools for Ar... × +

https://localhost:11443/create/createiplist/

ETP ESSArch Tools for Producer Welcome, Peter @ zone1. Change password / Log out

INFORMATION PACKAGE ▾ SUBMIT ▾ MANAGEMENT ▾ HELP ▾

Select which information package to create

Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state	Events
Test organisasjon	Kurs eksempel	2016-05-27T16:21:09+02:00	SIP	/ESSArch/data/etp/prepare/ip1	419ece0c-2416-11e6-841e-080027ec5792	Prepared	***



Lage arkivpakke, forts.

Logg på - Googl... x http://p...e_en.pdf x http://1...age.htm x http://1...age.htm x ESSArch Tools for Pr... x ESSArch Tools fo... x ESSArch Tools for Pr... x ESSArch Tools for Ar... x +

https://localhost:11443/create/createip/5

Create information package for *(Kurs eksempel)* from *(Test organisasjon)*

Please fill in the fields or use prefilled data (* indicates mandatory field)


Label:	Kurs eksempel
Submission agreement *:	N/A
Period start date *:	2016-01-01
Period end date *:	2016-12-30
Archivist organization *:	Test organisasjon
Archivist software system name *:	N/A
Archivist software system version *:	N/A
Archivist software system type *:	N/A
Creator organization *:	KDRS SA
Producer organization *:	KDRS SA
Producer individual *:	Peter Værlien
Producer software system type *:	N/A
Submitter organization *:	KDRS SA
Submitter individual *:	Peter Værlien
IP owner organization *:	KDRS SA
Preservation organization *:	KDRS SA

Content

Add files Create



Lage arkivpakke, forts.



Lage arkivpakke, forts.

Test-ETP-0.93.4-20160503.01 - Settings

Shared Folders


Folders List

Name	Path	Auto-mount	Access
Machine Folders			
Prepare	C:\Users\KDRS-pe...r\Downloads\Temp\Prepare		Full
Shared	C:\Users\KDRS-pe...r\Downloads\Temp\ETP_out		Full
Transient Folders			

Lists all shared folders accessible to this machine. Use 'net use x: \\vboxsvr\share' to access a shared folder named *share* from a DOS-like OS, or 'mount -t vboxsf share mount_point' to access it from a Linux OS. This feature requires Guest Additions.



Lage arkivpakke, forts.




File Explorer ribbon: Fil, Hjem, Del, Visning. Includes icons for actions like Klipp ut, Kopier, Lim inn, Flytt til, Kopier til, Slett, Gi nytt navn, Ny mappe, Egenskaper, and Logg.

Denne PCen > Nedlastinger > Temp > Prepare > ip1 > 7289953e-fb21-11e9-b54e-080027bcbb59

Navn	Endringsdato	type	Størrelse
administrative_metadata	30.10.2019 15:27	Filmappe	
content	30.10.2019 15:27	Filmappe	
descriptive_metadata	30.10.2019 15:27	Filmappe	
log	30.10.2019 15:27	XML Document	5 kB



Lage arkivpakke, forts.



Lage arkivpakke, forts.

Logg på - G... http://...en.pdf http://...ge.htm http://...ge.htm ESSArch Too... X ESSArch Tools f... ESSArch Tools f... ESSArch Too...

https://localhost:11443/create/createip/6

Submission agreement *: N/A

Period start date *: 2016-01-01

Period end date *: 2016-12-30

Archivist organization *: KDRS SA

Archivist software system name *: N/A

Archivist software system version *: N/A

Archivist software system type *: N/A

Creator organization *: KDRS SA

Producer organization *: KDRS SA

Producer individual *: Peter Værlien

Producer software system type *: N/A

Submitter organization *: KDRS SA

Submitter individual *: Peter Værlien

IP owner organization *: KDRS SA

Preservation organization *: KDRS SA

Content

- junos
- program_kdrs_seminar_7.pdf

Add files Create



Innsending

The screenshot shows a web browser window with the URL `https://localhost:11443/create/createiplist/`. The browser's address bar and tabs are visible at the top. The page header is dark blue and contains the text "ETP ESSArch Tools for Producer" on the left and "Welcome, Peter @ zone1. Change password / Log out" on the right. Below the header is a navigation menu with four items: "INFORMATION PACKAGE", "SUBMIT", "MANAGEMENT", and "HELP". The "SUBMIT" item is highlighted with a red circle, and a dropdown menu is open below it, showing the option "Submit SJP". The main content area has the heading "Select which information package to create" and a list of fields: "Archivist organization", "Label", "Create date", "IP type", "IP location", "IP (UUID)", "IP state", and "Events". At the bottom of the browser window, the URL `https://localhost:11443/submit/submitiplist/` is visible.



Innsending, forts.

Logg på – Googl... x http://p...e_en.pdf x http://1...age.htm x http://1...age.htm x ESSArch Tools for Pr... x ESSArch Tools fo... x ESSArch Tools for Pr... x ESSArch Tools for Ar... x +

https://localhost:11443/submit/submitiplist/ Sø

ETP ESSArch Tools for Producer Welcome, Peter @ zone1 Change password / Log out

INFORMATION PACKAGE SUBMIT MANAGEMENT HELP

Select which information package to submit

Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state
KDRS SA	Test IP	2016-05-25T15:38:02+02:00	SIP	/ESSArch/data/etp/reception/ip2	e6d3aaf4-227d-11e6-9314-080027ec5792	Created
Test organisasjon	Kurs eksempel	2016-05-27T16:21:09+02:00	SIP	/ESSArch/data/etp/reception/ip3	419ece0c-2416-11e6-841e-080027ec5792	Created



Innsending, forts.

Logg på -... | http://...n.pdf | http://...htm | http://...htm | ESSArch T... | ESSArch T... | ESSArch Tools... | ESSArch Tools... | +

https://localhost:11443/submit/submitipcreate/5

ESSArch Tools for Producer

Welcome, Peter @ zone1. Change password / Log out

INFORMATION PACKAGE | SUBMIT | MANAGEMENT | HELP

Submit information package (Kurs eksempel) from (Test organisasjon)

Please fill in the fields or use prefilled data (* indicates mandatory field)

The receiver of the IP

Receiver - Local filesystem: /ESSArch/data/eta/reception/eft

The receiver of the submit description

From: peter.varlien@kdrs.no

To: * pkv+etp-test@kdrs.no

Subject *: "Kurs eksempel" overleveres

Body *: "Kurs eksempel" overleveres

Submit



Innsending, forts.

The screenshot shows a Gmail interface in a browser window. The address bar displays the URL <https://mail.google.com/mail/ca/u/0/#inbox/154f2b3386b07cb1>. The page title is "E-post". The main content area shows an email from "peter.varlien@kdrs.no" sent on "27. mai (for 3 dager siden)". The subject is "Kurs eksempel" overleveres. The email body contains a code editor with a file named "info.xml" and a text box with the placeholder "Klikk her for å svare eller videresende". The right sidebar shows the sender's name "pkv" and email "pkv@kdrs.no". The bottom of the page features a status bar with storage information: "72 % full Du bruker 10,86 GB av dine 15 GB", a link to "Programretningslinjer", and account activity information: "Siste aktivitet på kontoen: for 0 minutter siden".



Innsending, forts.

Test-ETP-0.93.4-20160503.01 - Settings

Shared Folders


Folders List

Name	Path	Auto-mount	Access
Machine Folders			
Prepare	C:\Users\KDRS-pe...r\Downloads\Temp\Prepare		Full
Shared	C:\Users\KDRS-pe...r\Downloads\Temp\ETP_out		Full
Transient Folders			


Lists all shared folders accessible to this machine. Use 'net use x: \\vboxsvr\share' to access a shared folder named *share* from a DOS-like OS, or 'mount -t vboxsf share mount_point' to access it from a Linux OS. This feature requires Guest Additions.




Innsending, forts.




Innsending, forts.




Mottak hos KAI




Mottak hos KAI, forts.



Mottak hos KAI, forts.



Mottak hos KAI, forts.



The screenshot shows a web browser window with the URL `https://localhost:12443/receive/receiveplist/`. The page title is "ETA ESSArch Tools for Archive" and it includes a navigation menu with "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP".

Receive information packages

Opt	Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state
<input checked="" type="checkbox"/>	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	SIP	/ESSArch/data/eta/reception/shared/ip1	UUID:419ece0c-2416-11e6-841e-080027ec5792	Not received


Please specify validation requirements in connection with the reception of IP

Validate package specification file: Yes No

Validate content of package (IP)? Yes No



Mottak hos KAI, forts.



The screenshot shows a web browser window with the URL `https://localhost:12443/logevents/view/419ece0c-2416-11e6-841e-080027ec5792/Te`. The page title is "ETA ESSArch Tools for Archive". The user is logged in as "Peter @ zone2". The main content area is titled "Add new event for (Kurs eksempel) from (Test organisasjon)".

The form includes the following fields:

- Event:** A dropdown menu with "Delivery received" selected.
- Status:** A dropdown menu with "Delivery received" selected.
- Comments:** A text area with the following options: "Delivery registered in journal system", "Delivery registered in archival information system", "Delivery receipt sent", "Virus control done", and "Delivery ready for hand over".

Below the form is an "Add log event" button.

The "Log content" section displays a table with the following data:

Time	Type	Event	Status	Comments	Agent
2016-05-30T14:50:18+02:00	20000	Created log circular	Ok	Success to create logfile	pkv




Mottak hos KAI, forts.

The screenshot shows a web browser window with the URL <https://localhost:12443/logevents/list>. The page title is "ETA ESSArch Tools for Archive" and it includes a navigation menu with "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". The main content area is titled "View log and add logevents" and displays a table of log entries. The table has columns for "Archivist organization", "Label", "Create date", "IP type", "IP location", "IP (UUID)", and "IP state". The entry "Kurs eksempel" is circled in red.

Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state
KDRS SA	Testing	2016-03-18T13:52:27+01:00	SIP	/ESSArch/data/eta/reception/eft	1d1ce794-ec49-11e5-9ed3-080027ec5792	Transmitted
KDRS SA	Test EPP 2.7.2 på essarch1	2016-04-12T10:41:49+02:00	SIP	/ESSArch/data/eta/reception/eft	b6cd73aa-0089-11e6-9451-080027ec5792	Transmitted
KDRS SA	Liten test	2016-04-18T15:21:59+02:00	SIP	/ESSArch/data/eta/reception/eft	22ab82e2-0567-11e6-8cc9-080027ec5792	Transmitted
KDRS SA	Testing	2016-04-18T15:45:10+02:00	SIP	/ESSArch/data/eta/reception/eft	91a7e9ac-056b-11e6-9714-080027ec5792	Transmitted
KDRS SA	Test transfer	2016-04-20T16:37:28+02:00	SIP	/ESSArch/data/eta/reception/eft	1ba6b40e-0705-11e6-9fa8-080027ec5792	Transmitted
KDRS SA	Test etter utplassering av mediaservere.	2016-05-02T13:07:05+02:00	SIP	/ESSArch/data/eta/reception/eft	7c26f7fe-1055-11e6-9218-080027ec5792	Transmitted
Test organisasjon	Kurs eksempel	2016-05-30T14:50:18+02:00	SIP	/ESSArch/data/eta/reception/shared	419ece0c-2416-11e6-841e-080027ec5792	Received



Pakken ferdig for overføring til digitalt depot



The screenshot shows a web browser window with the URL `https://localhost:12443/logevents/view/419ece0c-2416-11e6-841e-080027ec5792/Te`. The page title is "ETA ESSArch Tools for Archive". The navigation menu includes "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". The "TRANSFER" menu is expanded, showing "Transfer IP" as the selected option. The main content area is titled "Add new event for (Kurs eksempel) from (Test organisasjon)". It contains a form with the following fields:

- Event: Delivery ready for hand over
- Status: Ok
- Comments: Alt OK.

Below the form is a button labeled "Add log event". Underneath is a section titled "Log content" with a table showing the following data:

Time	Type	Event	Status	Comments	Agent
2016-05-30T15:05:50+02:00	20800	Delivery ready for hand over	Ok	Alt OK.	pkv
2016-05-30T15:00:38+02:00	20100	Delivery received	Ok	Mottatt OK.	pkv
2016-05-30T14:50:18+02:00	20000	Created log circular	Ok	Success to create logfile	pkv

The browser's address bar at the bottom shows `https://localhost:12443/transfer/transferiplist/`.



Overføre til depot (EPP) (HTTPS)


The screenshot shows a web browser window with the URL `https://localhost:12443/transfer/transferiplist/`. The page title is "ETA ESSArch Tools for Archive". The user is logged in as "Peter @ zone2". The main content area is titled "Transfer information packages" and contains a table with the following data:

Opt	Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state
<input checked="" type="checkbox"/>	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	SIP	/ESSArch/data/eta/reception/shared/ip1	UUID:419ece0c-2416-11e6-841e-080027ec5792	Received

Below the table, there is a green oval highlighting the text: "Transfer to remote server: <https://essarch-test3.kdrs.no>". Below this, there is a red oval highlighting a button labeled "Transfer IP".



Overføre til depot (HTTPS), forts.




The screenshot shows a web browser window with the URL `https://localhost:12443/admin/configuration/parameter/`. The page title is "ETA ESSArch Tools for Archive" and the user is logged in as "admin @". A navigation menu includes "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". A breadcrumb trail shows "Home > Configuration > Parameters". A green notification bar states: "The parameter 'preservation_organization_receiver' was changed successfully." Below this is a section titled "Select parameter to change" with a search bar and an "Add parameter +" button. A table lists 9 parameters, each with a checkbox and a "Go" button. The "preservation_organization_receiver" parameter is highlighted in blue.

Entity	Value
<input type="checkbox"/> content_descriptionfile	mets.xml
<input type="checkbox"/> ip_logfile	log.xml
<input type="checkbox"/> mimetypes_definition	mime.types
<input type="checkbox"/> package_descriptionfile	info.xml
<input type="checkbox"/> preservation_descriptionfile	premis.xml
<input type="checkbox"/> preservation_email_receiver	receiver@archive.xxx
<input type="checkbox"/> preservation_organization_receiver	https://essarch-test3.kdrs.no,ESSArch3_upload,ESSArch3_A3
<input type="checkbox"/> site_profile	NO
<input type="checkbox"/> zone	zone2

9 parameters



Overføre til depot (HTTPS), forts.



The screenshot shows a web browser window with the URL `https://localhost:12443/transfer/transferiplist/`. The page title is "ETA ESSArch Tools for Archive". The user is logged in as "Peter @ zone2". The navigation menu includes "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". The main content area is titled "Transfer information packages" and features a table with columns: "Opt", "Archivist organization", "Label", "Create date", "IP type", "IP location", "IP (UUID)", and "IP state". Below the table, there is a text label "Transfer to remote server: `https://essarch-test3.kdrs.no`". A "Transfer IP" button is visible at the bottom left of the content area.



Overføre til depot, FileZilla

The screenshot shows the ESSArch Tools for Archive administration interface. The browser address bar indicates the URL is `https://localhost:12443/admin/configuration/par`. The page title is "ESSArch Tools for Archive" and the user is logged in as "admin @". The navigation menu includes "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". The current page is "Configuration > Parameters".


The main heading is "Select parameter to change" with an "Add parameter +" button. Below this is a search bar and an "Action:" dropdown menu with a "Go" button.

Entity	Value
<input type="checkbox"/> content_descriptionfile	mets.xml
<input type="checkbox"/> ip_logfile	log.xml
<input type="checkbox"/> mimetypes_definition	mime.types
<input type="checkbox"/> package_descriptionfile	info.xml
<input type="checkbox"/> preservation_descriptionfile	premis.xml
<input type="checkbox"/> preservation_email_receiver	pkv+ETA@kdrs.no
<input type="checkbox"/> preservation_organization_receiver	False,https://essarch-test.kdrs.no,ESSArch1_upload,ESSArch1_A1
<input type="checkbox"/> site_profile	NO
<input type="checkbox"/> zone	zone2

9 parameters



Overføre til depot, FileZilla, forts.




The screenshot shows a web browser window displaying the ESSArch Tools for Archive interface. The browser's address bar shows the URL `https://localhost:12443/transfer/trans`. The page header includes the text "Welcome, Peter @ zone2. Change password / Log out". The main navigation menu contains "RECEIVE", "EVENTS", "TRANSFER", "MANAGEMENT", and "HELP". The "TRANSFER" menu is active, and the page title is "Transfer information packages".

Opt	Archivist organization	Label	Create date	IP type	IP location	IP (UUID)	IP state
<input checked="" type="checkbox"/>	KDRS SA	Test 20191019/01	2019-10-30T16:10:39+01:00	SIP	/ESSArch/data/eta /reception/shared/ip1	UUID:7289953e-fb21-11e9- b54e-080027bcbb59	Received

Below the table, the text "Transfer to local filesystem: /ESSArch/data/gate/reception" is circled in red. Below that, a button labeled "Transfer IP" is also circled in red.



Overføre til depot, FileZilla, forts.




Overføre til depot, FileZilla, forts.

The screenshot shows the FileZilla application window. The title bar reads "FileZilla". The menu bar includes "Fil", "Rediger", "Vis", "Overfør", "Tjener", "Bokmerker", and "Hjelp". The toolbar contains various icons for file operations. The connection settings bar at the top is highlighted with a green oval and contains the following fields: "vert: ssarch-test.kdrs.no", "Brukernavn: pkv-test", "Passord" (masked with dots), "Port: 22", and a "Hurtigtilkobling" dropdown menu. Below the connection settings, the "Lokal maskin:" section shows the local drive "C:\Users\pkv\" with a tree view of folders: "All Users", "Default", "Default User", and "defaultuser0". The "Ekstern tjener:" section is currently empty. The main area is divided into two panels. The left panel shows a file list with columns: "Filnavn", "Filstørrelse", "Filtype", and "Sist endret". It lists folders: "..", ".InstallAnywhere", ".jNetMap", and ".junique". The right panel shows a file list with columns: "Filnavn", "Filstørrelse", "Filtype", "Sist endret", "Tillatelser", and "Eier/Gruppe". It displays "Ikke tilkoblet". At the bottom, there is a status bar with "Filer i kø", "Mislykkede overføringer", and "Vellykkede overføringer". The system tray shows "Kø: tom" and window control buttons.



Overføre til depot, FileZilla, forts.

Første gangen du kobler deg til en server er denne normal.



Overføre til depot, FileZilla, forts.

The screenshot shows the FileZilla interface with the following details:

- Title Bar:** sftp://pkv-test@essarch-test.kdrs.no - FileZilla
- Menu Bar:** Fil, Rediger, Vis, Overfør, Tjener, Bokmerker, Hjelp
- Toolbar:** Standard FileZilla icons for navigation and operations.
- Connection Fields:** Vert: sftp://essarch-test.l, Brukernavn: pkv-test, Passord: [masked], Port: [empty], Hurtigtilkobling: [dropdown]
- Command Log:** open "pkv-test@essarch-test.kdrs.no" 22, Pass: [masked], Connected to essarch1.kdrs.no, Listing directory /home/KDRS/pkv-test, Mappervisning av "/home/KDRS/pkv-test" vellykket
- Local Machine:** C:\Users\pkv\Downloads\Temp\Transfer\
 - Files: Junk, moveveeam, Prepare, Transfer
- Remote Server:** /home/KDRS/pkv-test
 - Directories: home, KDRS, pkv-test
 - Files: gate (circled in red), work, .bash_hi...
- Transfer Queue:** Tjener-/lokal fil, Retning, Fil på tjenermaskin, Størrelse, Prioritet, Status
- Bottom Bar:** Filer i kø, Mislykkede overføringer, Vellykkede overføringer, Kjø: tom

Overføre til depot, FileZilla, forts.

sftp://pkv-test@essarch-test.kdrs.no - FileZilla

Vert: sftp://essarch-test.l Brukernavn: pkv-test Passord: Port: Hurtigtilkobling

Status: Mottar mappeliste for «/home/KDRS/pkv-test/gate» ...
Status: Listing directory /ESSArch/data/gate
Status: Mappevisning av «/ESSArch/data/gate» vellykket
Status: Mottar mappeliste for «/ESSArch/data/gate/reception» ...
Status: Listing directory /ESSArch/data/gate/reception
Status: Mappevisning av «/ESSArch/data/gate/reception» vellykket

Lokal maskin: C:\Users\pkv\Downloads\Temp\Transfer\
Ekstern tjener: /ESSArch/data/gate/reception

Filnavn	Filstørrelse	Filtype	Sist endret
ca3e4d18-fb28-...		Filmappe	30.10.2019 16:40:11

Filnavn	Filstørrelse	Filtype	Sist endret	Tillatelser	Eier/Gruppe
..					
65c93f8c...		Filmappe	15.02.2019 14:5...	drwxrwsr-x	pkv-test ar...

Tjener-/lokal fil Retning Fil på tjenermaskin Størrelse Prioritet Status

Filer i kø Mislykkede overføringer Vellykkede overføringer

Kø: tom



Overføre til depot, siste mulighet.

- 2 TB USB disk
- Kryptering ved hjelp av innebygget prosessor

KDRS har gått til anskaffelse av en slik. Nærmere rutiner for bruken skal utarbeides.



Avslutning del 3

I denne delen har vi tatt for oss:

- Hvordan vi lager en arkivpakke i ETP.
- Hvordan vi gjør innlevering av pakken til ETA.
- Loggføring av aktiviteter som utføres på pakken.
- Hvordan vi sender pakken til EPP.

I neste del skal vi følge løpet videre i EPP.

