



**KDRS**

Kommunearkivinstusjonenes  
Digitale RessursSenter

**KDRS digitalt depot**  
**Del 5 - Depottilgang**  
**9. juni 2016**

# EPP - Access

**EPP (ESSArch Preservation Platform)** Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

**Detail info** **storage medium**

[List information packages](#)  
[Create new access request](#)  
[List access request queue](#)

[updated 6 minutes ago]

Name	Value
Medium UUID	011d31ef-5c10-4544-a497-9a45bddb182a
Type	HP-LTO6
ID	A32001
Create Date	Feb. 10, 2016, 9:36 a.m.
Last Update	May 30, 2016, 4:59 p.m.
Location	Media_KDRS-MO-MEDIA-1
Location Status	Robot
Block-Size	512K
Used Capacity	2357122 bytes
Status	Write
Format	103 (AIC support)
Used (mounts)	3
linkingAgentIdentifierValue	ESSArch_ESSArch3
Create Date	Feb. 10, 2016, 9:36 a.m.
CreateAgentIdentifierValue	ESSArch_KDRS-MO-MEDIA-1

### Medium content

Display **10** records Search:

IP Object	Content location
cb140d2c-cf2b-11e5-8c00-08002763c5f9	1
419ece0c-2416-11e6-841e-080027ec5792	2

Showing 1 to 2 of 2 entries

← Previous **1** Next →

[list storagemedium](#)

https://essarch3.kdrs.no/access/listobj/



# EPP – Access – Liste arkivpakker

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/access/listobj/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area is titled "ACCESS - List information packages".

Below the title, there is a "Show 10 entries" dropdown, a "Column visibility" button, and a "Search:" input field.

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
<a href="#">31a346f6-cf2d-11e5-9086-08002763c5f9</a>	KDRS SA	Initial Test for ESSArch3	2016-02-09	2014-12-31	2015-12-29	AIC			
<a href="#">0ffa24f4-2665-11e6-99d4-0800276b6fde</a>	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
<a href="#">419ece0c-2416-11e6-841e-080027ec5792</a>	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	AIP	IP_0	Archived	OK

Showing 1 to 2 of 2 entries

Navigation: Previous | 1 | Next



# EPP – Hent ut arkivpakke

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/access/new/419ece0c-2416-11e6-841e-080027ec5792/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP.

## ACCESS - Create new access request

Please fill in the fields or use pre-filled data (\* indicates mandatory field)

Available storage media: disk1\_ESSArch3, A31001, A32001

**ReqUUID:** \* 12138bde-2734-11e6-ba67-00505697c6e4

**ReqType:** \* Get AIP to ControlArea

**ReqPurpose:** \* Trenger å gjøre noe.

**User:** \* pkv

**Objectidentifiervalue:** \* 419ece0c-2416-11e6-841e-080027ec5792


**StorageMediumID:**

**Path:** \* /ESSArch/data/epp/cont

**Create** →



# EPP – arkivpakke hentet




The screenshot shows a web browser window displaying the ESSArch Preservation Platform (EPP) interface. The browser's address bar shows the URL: <https://essarch3.kdrs.no/access/detail/c829edc1c4814de7afc4724ed17a9426/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area is titled "Detail information - access requests". Below this, there is a table of metadata for an access request posted 0 minutes ago.

Name	Value
ReqUUID	4f2796c6-2736-11e6-aa69-00505697c6e4
ReqType	Get AIP to ControlArea
ReqPurpose	Trenger å gjøre noe.
User	pkv
ObjectIdentifierValue	419ece0c-2416-11e6-841e-080027ec5792
StorageMediumID	
Path	/ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde
Status	Pending

Below the table, there are two links: [Edit access request](#) and [Delete access request](#).



# EPP – sjekk aksesskø



The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays the URL: <https://essarch3.kdrs.no/access/detail/c829edc1c4814de7afc4724ed17a9426/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter".

The main navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The "ACCESS" menu is expanded, showing options: List information packages, Create new access request, and List access request queue. The "List access request queue" option is circled in red.

## Detail information for access requests

[posted 0 minutes ago]

Name	Value
ReqUUID	4f2796c6-2736-11e6-aa69-00505697c6e4
ReqType	Get AIP to ControlArea
ReqPurpose	Trenger å gjøre noe.
User	pkv
ObjectIdentifierValue	419ece0c-2416-11e6-841e-080027ec5792
StorageMediumID	
Path	/ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde
Status	Pending

[Edit access request](#) | [Delete access request](#)

<https://essarch3.kdrs.no/access/list/>



# EPP – aksessforespørsel ferdig

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/access/list/>. The page title is "ACCESS - List access request queue". The interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. A user named "Peter" is logged in, with a "Welcome, Peter. Change password / Log out" message. Below the navigation, there is a table listing access requests. The table has columns for ReqUUID, ReqType, ReqPurpose, User, IP (UUID), State, and Posted. A single request is listed with the state "Success", which is circled in green. Below the table, there is a button labeled "Clear your successful requests".

ReqUUID	ReqType	ReqPurpose	User	IP (UUID)	State	Posted
4f2796c6-2736-11e6-aa69-00505697c6e4	Get AIP to ControlArea	Trenger å gjøre noe.	pkv	419ece0c-2416-11e6-841e-080027ec5792	Success	[posted 1 minute ago]





# EPP - Diffcheck

**EPP (ESSArch Preservation Platform)** Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## Create controlarea request

Please fill in the fields or use prefilled data (\* indicates mandatory field)

**ReqUUID:** \* baca0ff8-2736-11e6-8c73-00505697c6e4 \*

**ReqType:** \* DiffCheck \*

**ReqPurpose:** \* Trenger å gjøre noe. \*

**User:** \* pkv \*


**ObjectIdentifierValue:** \* 419ece0c-2416-11e6-841e-080027ec5792 \*

Submit →





# EPP – Diffcheck, forts.



The screenshot shows a web browser window with the URL `https://essarch3.kdrs.no/controlarea/diffcheckprogress/1a371df1-8f0a-4160-aede-9175fd7df1c9/`. The browser's address bar shows the URL and the user's name, Peter. The page header includes the EPP logo and the text "EPP (ESSArch Preservation Platform)" and "Welcome, Peter. Change password / Log out". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP".

Request to Diffcheck IP

Request is successful

Category:   
Label:   
User:   
Request purpose: Trenger å gjøre noe.

Status

Success to DiffCheck object: 419ece0c-2416-11e6-841e-080027ec5792, ReqUUID: baca0ff8-2736-11e6-8c73-00505697c6e4, Result: STATUS - confirmed:4 renamed:0 added:0 deleted:0 changed:0 permission\_error:0

Status Info

STATUS - confirmed:4 renamed:0 added:0 deleted:0 changed:0 permission\_error:0



# EPP – Controll area menu

The screenshot displays a web browser window with the URL <https://essarch3.kdrs.no/controlarea/diffcheckprogress/1a371df1-8f0a-4160-aede-9175fd7df1c9/>. The browser's address bar shows the URL, and the page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter".

The main navigation bar includes the following menu items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The "CONTROL AREA" menu is currently expanded, showing the following options:

- CheckIn from Reception
- CheckOut to Workarea
- CheckIn from Workarea
- CheckOut to Gatearea from work
- CheckIn from Gatearea to work
- CheckIn from Gatearea
- DiffCheck
- Preserve Information Package
- Delete IP in Controlarea
- Overview of controlarea requests

The "DiffCheck" option is selected, and the main content area displays the following information:

19ece0c-2416-11e6-841e-080027ec5792, ReqUUID: baca0ff8-2736-11e6-8c73-00505697c6e4, Result: STATUS - confirmed:4 renamed:0 added:0 deleted:0 changed:0

The "Delete IP in Controlarea" option shows the following information:

ed:0 added:0 deleted:0 changed:0 permission\_error:0

The browser's address bar at the bottom of the screenshot shows the URL: <https://essarch3.kdrs.no/controlarea/diffcheckprogress/1a371df1-8f0a-4160-aede-9175fd7df1c9/#vertical>



# EPP – Checkout to work area

Select which information package to checkout to work area

Show 10 entries  Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
419ece0c-2416-11e6-841e-080027ec5792	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	AIP	IP_0	Archived	ControlArea

Showing 1 to 1 of 1 entries



# EPP – Checkout, forts.

**EPP (ESSArch Preservation Platform)** Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## Create controlarea request

Please fill in the fields or use prefilled data (\* indicates mandatory field)

**ReqUUID:** \* 86aaa25e-2737-11e6-8c73-00505697c6e4\*

**ReqType:** \* CheckOut to Workarea \*

**ReqPurpose:** \* Trenger å gjøre noe. \*

**User:** \*

**ObjectIdentifierValue:** \* 419ece0c-2416-11e6-841e-080027ec5792 \*

**Read only access:**  Do not create a new IP generation

**Submit -->**



# EPP – Checkout, success

Request to check out IP to work area

Request is successful


Category:   
Label:   
User:   
Request purpose:

Status


CheckOut Package: 0ffa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792 from source\_path: /ESSArch/data/epp/control to new Package: 0ffa24f4-2665-11e6-99d4-0800276b6fde/d3de7f3c-2737-11e6-abdb-00505697c6e4 in target\_path: /ESSArch/data/epp/work/pkv  
Add new entry to DB for IP\_UUID: d3de7f3c-2737-11e6-abdb-00505697c6e4  
Success to create logfile: /ESSArch/data/epp/work/pkv/0ffa24f4-2665-11e6-99d4-0800276b6fde/d3de7f3c-2737-11e6-abdb-00505697c6e4/log.xml



# Windows filutforsker




# Windows filutforsker, forts.







# Windows filutforsker, forts.




# Windows filutforsker, forts.



# Windows filutforsker, forts.



# Windows filutforsker, forts.



# EPP – Checkin from work area

The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/checkinfromworklist/>. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP".

The main content area displays the heading "Select which information package to checkin from work area". Below this, there is a "Show 10 entries" dropdown, a "Column visibility" button, and a search box.

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
<a href="#">Offa24f4-2665-11e6-99d4-0800276b6fde</a>	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
<a href="#">d3de7f3c-2737-11e6-abdb-00505697c6e4</a>	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	SIP	IP_1	WorkArea	OK

Showing 1 to 1 of 1 entries

Navigation buttons: Previous, 1, Next

The "WorkArea" and "OK" buttons in the second row of the table are circled in green.



# EPP – Checkin from work, forts.

**EPP (ESSArch Preservation Platform)** Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## Create controlarea request

Please fill in the fields or use pre-filled data (\* indicates mandatory field)

**ReqUUID:** \* edeca530-273b-11e6-be35-00505697c6e4\*

**ReqType:** \* Checkin from Workarea \*

**ReqPurpose:** \* Rettet skrivefeil i mets.x \*

**User:** \* piv \*

**ObjectIdentifierValue:** \* d3de7f3c-2737-11e6-abdb-00505697c6e4 \*

**Allow unknown filetypes:**



# EPP – ny diffcheck

Inr ET To Te Cl KD Dc Ut Ds Rc hti hti hti hti x hti hti hti hti hti hti hti hti hti Ea hti hti Ri W M N co Fi Ce Hc

← → ↻ <https://essarch3.kdrs.no/controlarea/diffcheck/7/> Peter

Apper ★ Bookmarks Andre bokmerker

**EPP (ESSArch Preservation Platform)** Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

## Create controlarea request

Please fill in the fields or use prefilled data (\* indicates mandatory field)

**ReqUUID:** \* d97235e6-273d-11e6-ba67-00505697c6e4 \*

**ReqType:** \* DiffCheck \*

**ReqPurpose:** \*  \*

**User:** \* pkv \*

**ObjectIdentifierValue:** \* d3de7f3c-2737-11e6-abdb-00505697c6e4 \*





# EPP – ny diffcheck, forts

The screenshot shows a web browser window displaying the EPP (ESSArch Preservation Platform) interface. The browser's address bar shows the URL: `https://essarch3.kdrs.no/controlarea/diffcheckprogress/ad9cef60-2ad1-432a-9376-8b28dafba158/`. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the following information:

Request to Diffcheck IP

Request is successful

Category:   
Label:   
User:   
Request purpose: Rettet skrivefeil i mets.xml

Status

Success to DiffCheck object: d3de7f3c-2737-11e6-abdb-00505697c6e4, ReqUUID: d97235e6-273d-11e6-ba67-00505697c6e4, result: STATUS - confirmed:2 renamed:0 added:0 deleted:0 changed:2 permission\_error:0

Status Info

CHANGED /ESSArch/data/epp/control/0ffa24f4-2665-11e6-99d4-0800276b6fde/d3de7f3c-2737-11e6-abdb-00505697c6e4/mets.xml, CHANGED /ESSArch/data/epp/control/0ffa24f4-2665-11e6-99d4-0800276b6fde/d3de7f3c-2737-11e6-abdb-00505697c6e4/log.xml, STATUS - confirmed:2 renamed:0 added:0 deleted:0 changed:2 permission\_error:0

Green circles highlight the status message and the file paths in the status info section.



# EPP – preserver endret pakke

The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/preserveip/7/>. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area is titled "Create controlarea request" with the instruction "Please fill in the fields or use prefilled data (\* indicates mandatory field)".

The form fields are:

- ReqUUID: \* 4d077534-273e-11e6-aa69-00505697c6e4 \*
- ReqType: \* Preserve Information Package \*
- ReqPurpose: \* Rettet skrivefil i mets.x \*
- User: \* pkv \*
- ObjectIdentifierValue: \* d3de7f3c-2737-11e6-abdb-00505697c6e4 \*

A "Submit →" button is located below the form fields.

Below the form is the "Events for IP" section, which contains a table with the following data:

Event UUID	Type	Date	Outcome	Note	Agent	Generation	Linking Object ID
037ecd2c-273e-11e6-33000-9c94-00505697c6e4	33000	May 31, 2016, 4:43 p.m.	OK	Success to DiffCheck object: d3de7f3c-2737-11e6-abdb-00505697c6e4, ReqUUID: d97235e6-273d-11e6-ba67-00505697c6e4, Result: STATUS - confirmed:2 renamed:0 added:0 deleted:0 changed:2 permission_error:0	pkv	IP_1	d3de7f3c-2737-11e6-abdb-00505697c6e4

Below the "Events for IP" section is the "Related events for AIC" section, which contains a table with the following data:

Event UUID	Type	Date	Outcome	Note	Agent	Generation	Linking Object ID
419fdebe-2416-11e6-841e-080027ec5792	10000	May 27, 2016, 4:21 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
0ffa8b2e-2665-11e6-99d4-0800276b6fde	20000	May 30, 2016, 2:50 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
81810d80-2666-11e6-99d4-0800276b6fde	20100	May 30, 2016, 3 p.m.	OK	Mottatt OK.	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792




# EPP – Need of assistance

The screenshot shows the ESSArch Preservation Platform (EPP) interface. The browser address bar displays <https://essarch3.kdrs.no/ingest/listobj>. The page title is "INGEST - List information packages". The interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. A search bar is located at the top right. Below the navigation, the page displays a table of information packages. The table has columns for Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The second entry in the table is highlighted, and its 'Activity' cell contains a dropdown menu with the option "Need of assistance" selected. This dropdown is circled in orange. Below the table, it says "Showing 1 to 1 of 1 entries".

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
d3de7f3c-2737-11e6-abdb-00505697c6e4	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	SIP	IP_1	Receive new object	Need of assistance



# EPP – Need of assistance - OK



The screenshot displays the ESSArch Preservation Platform (EPP) interface. The main heading is "INGEST - List information packages". Below this, there are controls for "Show 10 entries" and "Column visibility". A search bar is also present. The table below lists information packages with columns for Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The first entry is highlighted, and its "Activity" dropdown menu is open, showing options like "Need of assistance", "New object", "Receive", "Checking", "Need of assistance", "Progress", "Pending writes", "ControlArea", "WorkArea", and "FAIL". The "Need of assistance" option is selected, and "OK" is highlighted within its dropdown.

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
d3de7f3c-2737-11e6-abdb-00505697c6e4	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	SIP	IP_1	Receive new object	Need of assistance

Showing 1 to 1 of 1 entries




# EPP - Success

The screenshot shows a web browser window displaying the EPP (ESSArch Preservation Platform) interface. The browser's address bar shows the URL <https://essarch3.kdrs.no/access/listobj/>. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The main content area is titled "ACCESS - List information packages". Below the title, there is a "Show 10 entries" dropdown, a "Column visibility" button, and a search box. A table lists the information packages with columns for Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The table contains three entries. Below the table, it says "Showing 1 to 2 of 2 entries" and has "Previous", "1", and "Next" navigation buttons.


Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
31a346f6-cf2d-11e5-9086-08002763c5f9	KDRS SA	Initial Test for ESSArch3	2016-02-09	2014-12-31	2015-12-29	AIC			
0ffa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
9bfd66cc-2740-11e6-9d1c-00505697c6e4	Test organisasjon	Kurs eksempel	2016-05-31	2015-12-31	2016-12-29	AIP	IP_2	Archived	OK



# Filezilla



# Filezilla, forts.





# Filezilla, forts.

The screenshot shows the FileZilla SFTP client interface. The top bar displays the connection details: `sftp://pkv@essarch3.kdrs.no`. The status window shows the following messages:

```
Status: Kobler til essarch3.kdrs.no ...
Status: Connected to essarch3.kdrs.no
Status: Mottar mappeliste ...
Status: Listing directory /home/pkv
Status: Mappevisning av ~/home/pkv vellykket
```

The local machine pane shows the path `C:\Users\KDRS-peter\Downloads\`. The remote machine pane shows the path `/home/pkv`. The remote directory listing is as follows:

Filnavn	Filstørrelse	Filtype	Sist endret	Tillatelser	Eier/Gruppe
..					
..byobu		Filmappe	30.05.2016 15:3...	drwxrwxr-x	pkv pkv
..ssh		Filmappe	16.02.2016 13:4...	drwxr-xr-x	pkv pkv
..gate		Filmappe	01.03.2016 16:2...	lrwxrwxrwx	root root
work		Filmappe	01.03.2016 16:2...	lrwxrwxrwx	root root
..bash_history					
..bash_history	269	BASH_HIS...	23.02.2016 10:4...	-rw-r-----	pkv pkv
..bash_logout	18	BASH_LOG...	16.10.2014 15:5...	-rw-r--r--	pkv pkv
..bash_profile	217	BASH_PRO...	16.02.2016 13:4...	-rw-r--r--	pkv pkv
..bashrc	201	BASHRC-fil	16.02.2016 13:4...	-rw-r--r--	pkv pkv
..hushlogin	0	HUSHLOI...	16.02.2016 13:4...	-rw-rw-r--	pkv pkv

The 'work' directory is circled in red. The bottom status bar shows '8 filer og 4 mapper. Total størrelse: 3 833 byte'.



# Filezilla, forts.

The screenshot shows the FileZilla interface with the following details:

- Title Bar:** sftp://pkv@essarch3.kdrs.no - FileZilla
- Menu Bar:** Fil, Rediger, Vis, Overfør, Tjener, Bokmerker, Hjelp
- Address Bar:** Vert: sftp://essarch3.kdrs, Brukernavn: pkv, Passord: [redacted], Port: [empty], Hurtigtilkobling: [dropdown]
- Status Window:**
  - Status: Kobler til essarch3.kdrs.no ...
  - Status: Connected to essarch3.kdrs.no
  - Status: Mottar mappeliste ...
  - Status: Listing directory /home/pkv
  - Status: Mappevisning av «/home/pkv» vellykket
  - Status: Mottar mappeliste for «/home/pkv/work» ...
  - Status: Listing directory /ESSArch/data/epp/work/pkv
  - Status: Mappevisning av «/ESSArch/data/epp/work/pkv» vellykket
- Local File View (Lokal maskin):** C:\Users\KDRS-peter\Downloads\
- Remote File View (Ekstern tjener):** /ESSArch/data/epp/work/pkv
  - Directory structure: ESSArch > data > epp > work > pkv
  - File listing table:
- File Listing Table (Remote):**

Filnavn	Filstørrelse	Filtype	Sist endret	Tillatelser	Eier/Gruppe
Offa24f4-2665-11e6-99d4-0800276b6fde		Filmappe	31.05.2016 16:3...	drwxrwxr-x	arch arch
- File Listing Table (Local):**

Filnavn	Filstørrelse	Filtype	Sist endret
..			
http%3a%2f%2fcygwin.uib.no%2f		Filmappe	24.02.2016 14:22:25
ProcessExplorer		Filmappe	25.04.2016 14:08:47
- Summary:** 101 filer og 6 mapper. Total størrelse: 19 015 140 963 byte
- Bottom Bar:** Tjener-/lokal fil, Retning, Fil på tjenermaskin, Størrelse, Prioritet, Status
- Footer:** Filer i kø, Mislykkede overføringer, Vellykkede overføringer



# Filezilla, forts.

The screenshot shows the FileZilla SFTP client interface. The top bar indicates the connection to 'sftp://pkv@essarch3.kdrs.no'. The status bar at the bottom shows 'Kø: tom' (Queue: empty).

**Status Log:**

- Mappevisning av «/home/pkv» vellykket
- Mottar mappeliste for «/home/pkv/work» ...
- Listing directory /ESSArch/data/epp/work/pkv
- Mappevisning av «/ESSArch/data/epp/work/pkv» vellykket
- Mottar mappeliste for «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde» ...
- Listing directory /ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde
- Mappevisning av «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde» vellykket
- Mottar mappeliste for «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792» ...
- Listing directory /ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792
- Mappevisning av «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792» vellykket

**Local Machine (Lokal maskin):** C:\Users\KDRS-peter\Downloads\Temp\

**Remote Machine (Ekstern tjener):** SArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792

**Remote Directory Listing:**

Filnavn	Filstørrelse	Filtype	Sist endret	Tillatelser	Eier/Gruppe
..					
administrative_metadata		Filmappe	31.05.2016 15:4...	drwxrwx---	arch arch
content		Filmappe	31.05.2016 15:4...	drwxrwx---	arch arch
log.xml	44 015	XML-fil	31.05.2016 16:3...	-rwxrwx---	arch arch
mets.xml	4 589	XML-fil	30.05.2016 16:5...	-rwxrwx---	arch arch

2 filer og 2 mapper. Total størrelse: 48 604 byte



# Filezilla, forts.

The screenshot shows the FileZilla SFTP client interface. The top status bar indicates a successful connection to the SFTP server. The main window is divided into three panes: a local file system view on the left, a remote file system view on the right, and a detailed file listing at the bottom right.

**Status:** Mappevisning av «/home/pkv» vellykket  
Status: Mottar mappeliste for «/home/pkv/work» ...  
Status: Listing directory /ESSArch/data/epp/work/pkv  
Status: Mappevisning av «/ESSArch/data/epp/work/pkv» vellykket  
Status: Mottar mappeliste for «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde» ...  
Status: Listing directory /ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde  
Status: Mappevisning av «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde» vellykket  
Status: Mottar mappeliste for «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792» ...  
Status: Listing directory /ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792  
Status: Mappevisning av «/ESSArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792» vellykket

**Lokal maskin:** C:\Users\KDRS-peter\Downloads\Temp\  
Ekstern tjener: SArch/data/epp/work/pkv/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792

Filnavn	Filstørrelse	Filtype	Sist endret	Tillatelser	Eier/Gruppe
..					
administrative_metadata		Filmappe	31.05.2016 15:4...	drwxrwx---	arch arch
content		Filmappe	31.05.2016 15:4...	drwxrwx---	arch arch
log.xml	44 015	XML-fil	31.05.2016 16:3...	-rwxrwx---	arch arch
mets.xml	4 589	XML-fil	30.05.2016 16:5...	-rwxrwx---	arch arch

2 filer og 2 mapper. Total størrelse: 48 604 byte

Tjener-/lokal fil | Retning | Fil på tjenermaskin | Størrelse | Prioritet | Status

Filer i kø | Mislykkede overføringer | Vellykkede overføringer

Kø: tom

